



13046 Race Track Rd. #187
Tampa, FL 33626
(813) 463-2420
www.eag-led.com

WALL PACK LIGHT



Advantages

- UL cUL DLC certificate
- IP65 Internal driver
- Input voltage 100-277VAC
- No UV or IR in the beam
- Energy efficient, long lifespan
- Instant start, NO flickering, NO humming
- Green and eco-friendly without mercury.

Applications

- Industrial lighting, Entrance Lighting
- Landscaping lighting, Courtyard, Hotels



13046 Race Track Rd. #187
 Tampa, FL 33626
 (813) 463-2420
 www.eag-led.com

WALL PACK LIGHT

Technical Specifications


Color Temperature	3000 – 5700K	Waterproof Rating	IP65
CRI	>80	Operating Temperature	-4°F ~ +104°F
lamp's Luminous Efficiency	>100lm/W	Environment Location	Wet Location
Input Power	90W	Storage Temperature	-22°F ~ +122°F
Viewing Angle	110 Degree	Life-span	≥50000H
Input Voltage	50-60 HZ	Application	Outdoor/Indoor
PFC	>.9	Certification	UL cUL DLC
Housing color	Brown	Housing	Aluminum

Product Specifications		Materials	
Product Name	LED Wall Pack Light	Life-span	≥50000H
Part Number	EAG-WPK-60W-XXX EAG-WPK-80W-XXX	Mounting	Bracket fixed
Dimension	14.27"*9.25"*7.46"		



13046 Race Track Rd. #187
 Tampa, FL 33626
 (813) 463-2420
 www.eag-led.com

WALL PACK LIGHT



Packing /weight

Power	Outer box (L*W*H)	Qty/Ctn (pcs)	N.W/pcs (lbs)	G.W/Ctn (lbs)	Remarks
40W	15.35"×10.6"×9.65" 390*270*245mm	1	6.26	7.36	
60W		1	6.48	7.54	
80W		1	7.23	8.33	0.15M cable
100W		1	7.72	9.1	
120W		1	7.72	9.1	