


EAG-LED



CANOOPY






CANOPY

EAG-LED fixtures are a smart choice for illuminating municipal, commercial, parking lots and canopies.

Our parking garage and canopy lighting fixtures are specifically engineered to achieve energy savings, long life and easy installation.





CANOPY

Advantages

- UL cUL DLC
- Input voltage 100-277 & 240-480 Vac
- No UV or IR in the beam
- Easy to install and operate
- Energy Efficient, Long Lifespan
- Instant start, NO flickering, NO humming
- I/R Motion with Dimming Capability
- Light is soft & uniform, Safe to eyes
- Green and eco-friendly without Mercury
- Output constant current lever can be adjusted through output cable with 1-10V

Applications

- Underground Parking
- Gas Stations
- Car Washes
- Garages & Airport Parking
- Storage Areas
- Small Warehouses
- Covered Walkways
- Canopies



CANOPY

EAG-CAN-40W

EAG-CAN-55W

EAG-CAN-75W

EAG-CAN-100W

INPUT VOLTAGE

40 W

55W

75W

100W

LED DRIVER

IP65

IP65

IP65

IP65

LUMINOUS EFFICIENCY

125-140 LM/W

125-140 LM/W

125-140 LM/W

125-140 LM/W

COLOR TEMPERATURE

4000-5700K

4000-5700K

4000-5700K

4000-5700K

CRI

>80

>80

>80

>80

BEAM ANGLES

160 Degree

160 Degree

160 Degree

160 Degree

WORKING TEMPERATURE

-20°C TO 45°C

-20°C TO 45°C

-20°C TO 45°C

-20°C TO 45°C

STORAGE TEMPERATURE

-30°C TO 80°C

-30°C TO 80°C

-30°C TO 80°C

-30°C TO 80°C

RATING

50,000 hrs

50,000 hrs

50,000 hrs

50,000 hrs

HOUSING

Aluminum

Aluminum

Aluminum

Aluminum



BETTER
LIGHTS
FOR A BETTER
WORLD

EAG-LED GLOBAL

13046 Racetrack Rd • Tampa, FL 33626
813.463.2420 • savings@eag-led.com



www.eag-led.com