



corn light

waterproof



CORN LIGHT WATERPROOF

EAG-LED WATERPROOF Series Corn Lights offer a brighter chip and a 5th generation driver design, with a higher performance, shorter length. They offer the Lightest cooling system and they are Waterproof, Dustproof, and Inductive/Electronic ballast compatible. Fixture size is based on Wattage





CORN LIGHT WATERPROOF

Advantages

- UL cUL DLC
- No Flashing
- IP64 driver
- Input voltage 100-277 Vac
- No UV or IR in the beam
- Easy to install and operate
- Energy Efficient, Long Lifespan
- Special aluminum heat fan
- Temperature Protection System

Applications

- Street Lights
- Hospitals
- Warehouses
- Schools
- Hotels



CORN LIGHT WATERPROOF

	EAG-WP-5W	EAG-WP-7W	EAG-WP-9W	EAG-WP-12W	EAG-WP-15W
INPUT POWER	5W	7W	9W	12W	15W
LED DRIVER	IP 65	IP 65	IP 65	IP 65	IP 65
LUMINOUS EFFICIENCY	95-110 LM/W	95-110 LM/W	95-110 LM/W	95-110 LM/W	95-110 LM/W
COLOR TEMPERATURE	3000-6000K	3000-6000K	3000-6000K	3000-6000K	3000-6000K
CRI	>80	>80	>80	>80	>80
BEAM ANGLES	360 Degree	360 Degree	360 Degree	360 Degree	360 Degree
FIXTURE SIZE MM	45 X 130	45 X 130	55 X 130	55 X 165	70 X 160
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs	50,000 hrs	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum



CORN LIGHT WATERPROOF

	EAG-WP-20W	EAG-WP-30W	EAG-WP-40W	EAG-WP-60W	EAG-WP-80W
INPUT POWER	20W	30W	40W	60W	80W
LED DRIVER	IP 65	IP 65	IP 65	IP 65	IP 65
LUMINOUS EFFICIENCY	95-110 LM/W	95-110 LM/W	95-110 LM/W	95-110 LM/W	95-110 LM/W
COLOR TEMPERATURE	3000-6000K	3000-6000K	3000-6000K	3000-6000K	3000-6000K
CRI	>80	>80	>80	>80	>80
BEAM ANGLES	360 Degree	360 Degree	360 Degree	360 Degree	360 Degree
FIXTURE SIZE MM	70 X 180	70 X 180	93 X 207	93 X 289	125 X 310
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs	50,000 hrs	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum



CORN LIGHT WATERPROOF

EAG-DP-100W

EAG-DP-120W

EAG-DP-150W

INPUT POWER	100W	120W	150W
LED DRIVER	IP 65	IP 65	IP 65
LUMINOUS EFFICIENCY	95-110 LM/W	95-110 LM/W	95-110 LM/W
COLOR TEMPERATURE	3000-6000K	3000-6000K	3000-6000K
CRI	>80	>80	>80
BEAM ANGLES	360 Degree	360 Degree	360 Degree
FIXTURE SIZE MM	125 X 330	125 X 350	93 X 383
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum	Aluminum



BETTER
LIGHTS
FOR A BETTER
WORLD

EAG-LED GLOBAL

13046 Racetrack Rd • Tampa, FL 33626
813.463.2420 • savings@eag-led.com



www.eag-led.com