EAG-LED

linear strip

LOWBAY

LINEAR STRIP

EAG-LED Linear Strip / Lowbay Lights are perfect if you seek high lighting efficiency and want to reduce energy consumption by 90%.

Its a perfect light suitable for damp locations, and it offers both suspension and surface mount options.

LINEAR STRIP

Advantages

- UL cUL DLC
- High CRI
- Input voltage 100-277 & 240-480 Vac
- No UV or IR in the beam
- Easy to install and operate
- Energy Efficient, Long Lifespan
- Instant start, NO flickering, NO humming
- Green and eco-friendly without Mercury

Applications

- Walkways
- Warehouses
- Parking Garages
- Hallways
- Classrooms
- Offices
- Overhang Lighting
- Common Areas
- Up Lighting

LINEAR STRIP

	EAG-LSL-20	EAG-LSL-24	EAG-LSL-40
INPUT POWER	20W	24W	40W
SIZE INCHES	24 X 3.14 X 3.43	48 X 3.14 X 3.43	48 X 3.14 X 3.43
LUMINOUS EFFICIENCY	130 LM/W	130 LM/W	130 LM/W
COLOR TEMPERATURE	2700-6000K	2700-6000K	2700-6000K
CRI	>80	>80	>80
BEAM ANGLES	120 Degree	120 Degree	120 Degree
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum	Aluminum

LINEAR STRIP

	EAG-LSL-60	EAG-LSL-64
INPUT VOLTAGE	60W	64W
SIZE INCHES	48 X 3.14 X 3.43	96 X 3.14 X 3.43
LUMINOUS EFFICIENCY	130 LM/W	130 LM/W
COLOR TEMPERATURE	2700-6000K	2700-6000K
CRI	>80	>80
BEAM ANGLES	120 Degree	120 Degree
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum

BETTER
LIGHTS
FOR A BETTER
WORLD

EAG-LED GLOBAL

13046 Racetrack Rd • Tampa, FL 33626
813.463.2420 • savings@eag-led.com

LM-79
ISTMT

www.eag-led.com