




retro KIT fit






RETROFIT KIT

The retro fit kit can upgrade street lights, canopy lights, wall packs some flood lights and can be installed in just about any fixture as long as it fits.

Retrofit is for the customer who is happy with their current fixture but maybe the light produces a lot of heat or just for the purpose of lowering wattage and saving money on power costs without purchasing the entire fixture.





RETROFIT KIT

Advantages

- SMD Chip
- High Lumen Output
- 150 degree junction temp
- Highest performance
- Temperature control system
- Automatically drops temp
- Energy Efficient, Long Lifespan
- Green and eco-friendly
- 11 Wattage options

Applications

- Street Lights
- Wall Packs
- Shoe Box Lights
- Canopy Lights





RETROFIT KIT

	EAG-KIT-45W	EAG-KIT-60W	EAG-KIT-65W	EAG-KIT-80W
INPUT POWER	45W	60W	65W	80W
LED DRIVER	IP 40	IP 41	IP 41	IP 41
LUMINOUS EFFICIENCY	110 LM/W	110 LM/W	110 LM/W	110 LM/W
CRI	>80	>80	>80	>80
BEAM ANGLES	120 Degree	120 Degree	120 Degree	120 Degree
FIXTURE SIZE MM	TBA	146 X 174 X 60	146 X 174 X 60	146 X 174 X 60
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum	Aluminum	Aluminum



RETROFIT KIT

	EAG-KIT-105W	EAG-KIT-120W	EAG-KIT-150W	EAG-KIT-200W
INPUT POWER	105W	120W	150W	200W
LED DRIVER	IP 40	IP 40	IP 40	IP 40
LUMINOUS EFFICIENCY	110 LM/W	110 LM/W	110 LM/W	110 LM/W
CRI	>80	>80	>80	>80
BEAM ANGLES	120 Degree	120 Degree	120 Degree	120 Degree
FIXTURE SIZE MM	146 X 174 X 60	146 X 174 X 60	TBA	TBA
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum	Aluminum	Aluminum



RETROFIT KIT

	EAG-KIT-240W	EAG-KIT-320W	EAG-KIT-400W
INPUT POWER	240W	320W	400W
LED DRIVER	IP 40	IP 40	IP 40
LUMINOUS EFFICIENCY	110 LM/W	110 LM/W	110 LM/W
CRI	>80	>80	>80
BEAM ANGLES	120 Degree	120 Degree	120 Degree
FIXTURE SIZE MM	TBA	TBA	TBA
WORKING TEMPERATURE	-20°C TO 45°C	-20°C TO 45°C	-20°C TO 45°C
STORAGE TEMPERATURE	-30°C TO 80°C	-30°C TO 80°C	-30°C TO 80°C
RATING	50,000 hrs	50,000 hrs	50,000 hrs
HOUSING	Aluminum	Aluminum	Aluminum



BETTER
LIGHTS
FOR A BETTER
WORLD

EAG-LED GLOBAL

13046 Racetrack Rd • Tampa, FL 33626
813.463.2420 • savings@eag-led.com



www.eag-led.com