



WALL MOUNT
gooseneck





WALL MOUNT GOOSENECK

EAG-LED Wall Mount Gooseneck lights deliver safe and efficient illumination for common areas, restaurants, patios or hallways.

EAG-LED Wall Mount Gooseneck lights provide a long lasting, quality appearance with excellent heat dissipation. Let one of our lighting professionals help you today.

Swivel knuckle allows for a 210 degree adjustable angle





WALL MOUNT GOOSENECK

Advantages

- UL cUL DLC
- High CRI
- IP65 waterproof driver
- Input voltage 120-277 Vac
- Excellent for heat dissipation
- Energy Efficient, Long Lifespan
- Instant start, NO flickering
- NO humming
- Green & eco-friendly, no Mercury

Applications

- Manufacturing Facilities
- Warehouses
- Storerooms
- Restaurants
- Patios & Hallways
- Common Areas



WALL MOUNT GOOSENECK

	EAG-GN-20W	EAG-GN-35W
INPUT POWER	20W	35W
LED DRIVER	IP65	IP65
LUMINOUS EFFICIENCY	120-130 LM/W	120-130 LM/W
COLOR TEMPERATURE	3000-5700K	3000-5700K
CRI	>80	>80
BEAM ANGLES	101 Degree	101 Degree
WORKING TEMPERATURE	-40°C TO 50°C	-40°C TO 50°C
STORAGE TEMPERATURE	-40°C TO 80°C	-40°C TO 80°C
RATING	50,000 hrs	50,000 hrs
HOUSING	Blk – Brn – Wht - Custom	Blk – Brn – Wht - Custom



BETTER
LIGHTS
FOR A BETTER
WORLD

EAG-LED GLOBAL

13046 Racetrack Rd • Tampa, FL 33626
813.463.2420 • savings@eag-led.com



www.eag-led.com